Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	"10/612057" and curry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:40
S2	56	(MRC "mixed raster") same ((selector edge) near5 plane)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:44
S3	0	S2 same bianr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:08
S4	1498	(edge near5 detect\$3) with segment\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:36
\$5		(MRC "mixed raster") same ((selector mask) near5 plane) same (edge with segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/30 14:15
S6	262	S4 same (threshold\$3 binar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:34
S7	163	S4 with (threshold\$3 binar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:34
S8	154	S4 with (threshold\$3 binari\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/27 14:35
S9	20	S4 with (binari\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:35

			r	·	·	
S10	55	(edge near5 detect\$3) with (direction with strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:40
S11	7	S10 same segment\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:43
S12	3635	(edge with direction with (strength magnitude))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:42
S13	6	S12 same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/27 14:43
S14	2	EP-712094-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 16:12
S15	16	PDL with "image pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:19
S16	21	(MRC "mixed raster") same (segment\$5 with "text" with "image")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 13:05
S17	44	(MRC "mixed raster") and (segment\$5 with "text" with "image")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:08
S18	. 19	(("5583659") or ("6400844") or ("6324305") or ("4849914") or ("5515452") or ("5745596") or ("5900953") or ("6058214") or ("6343154") or ("6633670")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:32
S19	21	(MRC "mixed raster") and (segmentation with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:09

S20	8	(MRC "mixed raster") and ((selector mask) near5 plane) same (edge with segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:16
S21	41	(MRC "mixed raster") and ((selector mask) near5 plane) same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:17
S22	83	(MRC "mixed raster") same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/30 14:17
S23	64	(MRC "mixed raster") with segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/30 14:17
S24	1617	("3x3" "3 x 3" "3 by 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:40
S25	2014	((segment\$5 separat\$3) with foreground with background)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:08
S26	6	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:41
S27	94	S25 same (window neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S28	33	S25 with (window neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:10
S29	3	("6701009").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:11

	, <del></del>					
S30	85	S25 with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S31	15	S25 with (edge near5 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S32	42	gradient with white with background	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:46
S33	194	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) same (window bblock neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/31 11:14
S34	7	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) with (neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:10
S35	27	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) same (neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:14
S36	10	PDL with (pixel near5 (type class category tag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S37	247	PDL with (text with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S38	0	(PDL with tag with text with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S39	0	S37 with tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:23

				·		
S40	3	S37 same tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:23
S41	30	S37 with (tag type kind categor\$4 type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:59
542	35	S37 with raster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:56
S43	39	(PDL with conver\$4 with raster\$7) same (text with image with tag type kind categor\$4 type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 13:00
S44	9	"10/612,250" and curry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:25
S45	1	(replac\$3 substitut\$3 chang\$3) with ("by" "with") with ((filter\$3 transform\$5 correct\$3 adjust\$3) near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:22
S46	85202	(replac\$3 substitut\$3 chang\$3) with ((filter\$3 transform\$5 correct\$3 adjust\$3) near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:23
S47	18142	(replac\$3 substitut\$3 chang\$3) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:23
S48	1267	(replac\$3 substitut\$3 chang\$3) with (select\$2 specific designated chosen) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:24
S49	460	((replac\$3 substitut\$3 chang\$3) near5 (select\$2 specific designated chosen)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:25

S50	44	((replac\$3 substitut\$3) near3 (select\$2 specific designated chosen)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:30
S51	40	((replac\$3 substitut\$3) near3 (noise)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:35
S52	367	(partition\$3 near5 (mask select\$3)) same (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S53	217	(partition\$3 near5 (mask select\$3)) with (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S54	206	(partition\$3 near5 (mask select\$3)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S55	31	(partition\$3 near5 (mask)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:34
S56		(partition\$3 near5 selector) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:35
S57	0	(partition\$3 near5 (edge adj1 (map image))) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:48
S58	6	((divid\$3 partition\$3) near5 (edge adj1 (map image))) with (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:36
S59	1308	((gradient edge) adj1 (map image)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:48

			_			
S60	. 191	((gradient) adj1 (map image)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 11:01
S61	17	((gradient) adj1 (map)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:49
S62	33	((gradient) adj1 (image)) with (filtered)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:34
S63	32	((gradient) adj1 (image map)) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/02 14:17
S64	. 3	((gradient) adj1 (image map)) with (partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:34
S65	2323	(direction\$2 near3 (image map)) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/11/02 14:14
S66	17	(direction adj1 map) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:14
. S67	10	(gradient with (edge adj1 (image map))) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:18
S68	51	((direction orientation gradient) with (edge adj1 (image map))) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:43
S69	2159	image with ((bias\$3 substract\$3 offset\$3 normaliz\$3) near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON <sup>-</sup>	2006/11/02 15:20

S70	905	image with (bias\$3 near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:21
S71	66	image with (bias\$3 adj3(mean average))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:14
S72	17	(difference adj1 image) with partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:22
S73	7	((gradient edge) adj1 image) with (subtract\$3 adj3(mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:09
S74	8	((gradient edge) adj1 image) with (subtract\$3 near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:20
S75	10	((gradient edge) adj1 (image map)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:24
S76	21	(gray\$1scale gray\$1level) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:24
S77	124	((gradient edge) near3 (image map)) same ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:10
S78	27	((gradient edge) near3 (image map)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:25
S79	6534	(MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:45

S80	. 117	(MRC "mixed raster") same compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:49
S83	2082	((gradient edge)) same ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:10
S84	153	((gradient)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:11
S85	57	((gradient)) with ((subtract\$3) near5 (mean average bias offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:11
\$86	1792	((signal value gradient mask) near5 ("1" "-1")) with weak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:51
S87	20	S86 and (MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:47
S88	20709	(filter\$3 LPF HPF smooth\$3 sharpen\$3) with (4-pass four\$1pass (("4" four) near5 (pass\$2 iterat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:56
S89	1697	(filter\$3 LPF HPF smooth\$3 sharpen\$3) with (4-pass four\$1pass (("4" four) adj1 (pass\$2 iterat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:56
S90	. 203	S88 and JPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:58
S91		S88 same JPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:57

S92	5765	382/164,173,176,180;358/1.1,1.18. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 12:21
S93	51	S92 and (MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 12:22

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

mixed raster content edge direction

#### THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used mixed raster content edge direction

Found 65,252 of 189,785

by

Sort results relevance Display expanded form results

Save results to a Binder Search Tips Copen results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

Best 200 shown

Relevance scale

High dynamic range imaging

Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

window

**Publisher: ACM Press** 

Full text available: Topological pdf(20.22 MB) Additional Information: full citation, abstract

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging, from capture to display, that remove this restriction, thereby enabling images to represent the color gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor ...

2 GPGPU: general purpose computation on graphics hardware

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: This pdf(63.03 MB) Additional Information: full citation, abstract, citings

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

Picture Processing by Computer

Azriel Rosenfeld

September 1969 ACM Computing Surveys (CSUR), Volume 1 Issue 3

Publisher: ACM Press

Full text available: pdf(2.69 MB) Additional Information: full citation, references, citings, index terms


Projectors: advanced graphics and vision techniques

Ramesh Raskar

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(6.53 MB) Additional Information: full citation The elements of nature: interactive and realistic techniques



August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: The pdf(17.65 MB) Additional Information: full citation, abstract

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techni ...

On the power of the frame buffer

Alain Fournier, Donald Fussell

April 1988 ACM Transactions on Graphics (TOG), Volume 7 Issue 2

Publisher: ACM Press

Full text available: pdf(1.95 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Raster graphics displays are almost always refreshed out of a frame buffer in which a digital representation of the currently visible image is kept. The availability of the frame buffer as a two-dimensional memory array representing the displayable area in a screen coordinate system has motivated the development of algorithms that take advantage of this memory for more than just picture storage. The classic example of such an algorithm is the depth buffer algorithm for determining visible s ...

7 Special issue on spatial database systems: Management of multidimensional discrete

data

Peter Baumann

October 1994 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 3 Issue 4

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(2.30 MB) Additional Information: full citation, abstract, references, citings

Spatial database management involves two main categories of data: vector and raster data. The former has received a lot of in-depth investigation; the latter still lacks a sound framework. Current DBMSs either regard raster data as pure byte sequences where the DBMS has no knowledge about the underlying semantics, or they do not complement array structures with storage mechanisms suitable for huge arrays, or they are designed as specialized systems with sophisticated imaging functionality, but n ...

**Keywords:** Multimedia database systems, image database systems, spatial index, tiling

Editing and authoring: User-directed analysis of scanned images


Steven J. Simske, Jordi Arnabat

November 2003 Proceedings of the 2003 ACM symposium on Document engineering

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(3.36 MB) terms

Digital capture (scanning in all its forms, and digital photography/video recording), in providing virtually free temporary memory of captured information, allows users to "overgather" information during capture, and then to discard unwanted material later. For cameras and video recorders, such editing largely consists of discarding images or frames in their entirety. For scanners (and high-resolution camera/video), such editing benefits from a preview capability that provides quick and reliabl ...





Home | Login | Logout | Access Information | Alerts | Sitemap | Help

#### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

SEARCH

**IEEE XPLORE GUIDE** 

SUPPORT

Results for "(( ( 'mixed raster content' <or> mrc<in>metadata ) <and> ( edge<in>metada..." Your search matched 1 of 1430374 documents.

П

☑e-mail 🚇 printer triendty

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

#### » Search Options

View Session History

**New Search** 

IEEE JNL

**IEE JNL** 

**Modify Search** 

((( 'mixed raster content' <or> mrc<in>metadata) <and> (edge<in>metadata))) <a Search >

» Key

IEEE Journal or Magazine

**IEEE CNF** 

**IEEE Conference** Proceeding

IEE Journal or Magazine

IEE Conference **IEE CNF** 

Proceeding

IEEE STD IEEE Standard

d view selected items Select All Deselect All

Check to search only within this results set

1. Multiscale image segmentation using wavelet-domain hidden Markov models

Choi, H.; Baraniuk, R.G.;

Image Processing, IEEE Transactions on

Volume 10, Issue 9, Sept. 2001 Page(s):1309 - 1321

Digital Object Identifier 10.1109/83.941855

AbstractPlus | References | Full Text: PDF(368 KB) | IEEE JNL

Rights and Permissions

Contact Us Privacy & Security IEEE.org © Copyright 2006 IEEE - All Rights Reserved

Indexed by 可 Inspec\*



SPIE DL home | Scitation home | Search SPIN | help | contact | sign in | sign ou



#### SPIE—The International Society for Optical Engineering

My SPIE Subscription | My E-mail Alerts | My Article Collection

Home » Advanced Search :	» Search Results		
SEARCH DIGITAL LIBRARY	[Back to Sear	ch Query	Start New Search   Searching Hints]
	•	• • •	
Search Advanced Search	Search Res		
. Advanced Scaren			r: (('mixed raster content' <or> mrc) ) <and> usdate &lt;=1-jul-2002</and></or>
BROWSE PROCEEDINGS	Documents 1		698 (30 returned)
☑ Proceedings			, -
p By Year	Refine your q	uery ii uesi	
By Symposium	· AND , ▼		in Abstract/Title/Keywords 💌 Refin
By Volume No.	Results Sortin	na Options	· ALL ADMITTAL AND ALL ALL ALL ALL ALL ALL ALL ALL ALL AL
By Volume Title	Relevance Ord		- Porcost
By Technology	Relevance Oru	EI	Re-sort:
BROWSE JOURNALS	Options I	for selected	
☑ Journals	Check A	rticle(s) the	n 🔻 Go
Optical Engineering	J	Junior : manufigures as 111	
J. Electronic Imaging	Adding to for required).	MyArticles will o YOUR ♥	pen a second window (Scitation login
J. Biomedical Optics	requirea).	A 10011 (	
J. Microlithography,		•	
Microfabrication,			
and Microsystems			[ Related SPIE Products ]
SUBSCRIPTIONS &			[ 1   2   Next 25 ]
PRICING	010/		
☐ Institutions &	91%	1. ┌	Mixed raster content (MRC) model for compound image compression Ricardo L. de Queiroz, Robert R. Buckley, and Ming Xu
Corporations			Proc. SPIE <b>3653</b> , 1106 (1998) <b>Full Text:</b> [ PDF (955 kB) ] (12 pages)
□ Personal			( , , ( ,
subscriptions			
oubser ip tions	87%		Prediction and measurement of minimum resolvable contrast for TV
GENERAL INFORMATION	G7 70	2.	sensors
☐ About the Digital ☐			Gordon Arthur
Library			Proc. SPIE <b>2223</b> , 533 (1994) <b>Full Text:</b> [ PDF (977 kB) ] (10 pages)
<sup>ច្ច</sup> Terms of Use			
☑ SPIE Home	0=0/		Pate distration bound assumption for MDC assumption
31 IL HOME	85%	3.	Rate-distortion-based segmentation for MRC compression Hui Cheng, Guotong Feng, and Charles A. Bouman
			Proc. SPIE <b>4663</b> , 86 (2001) <b>Full Text:</b> [ PDF (1168 kB) ] (12 pages)
•			(2200 10, 7, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10
	9E0/		Diversity technique for DAPSK signal over the frequency-selective
	85%	4. <u>[</u>	fading channel
			Jong Y. Lee, Young M. Chung, and Sang U. Lee
			Proc. SPIE <b>4586</b> , 179 (2001) Full Text: [ PDF (704 kB) ] (11 pages)
	83%	5. F	TOD: a new method to characterize electro-optical system
		J. 1,	performance
			Piet Bijl and J. M. Valeton
			Proc. SPIE <b>3377</b> , 182 (1998) <b>Full Text:</b> [ PDF (1880 kB) ] (12 pages)

83%	6. F	Validation of the new triangle orientation discrimination method and ACQUIRE model predictions using observer performance data for ship targets Piet Bijl and J. Mathieu Valeton Opt. Eng. 37, 1984 (1998) Full Text: [ PDF (230 kB) ] (11 pages)
81%	7. 🗀	Simple segmentation algorithm for mixed raster contents image representation Zhigang Fan and Ming Xu Proc. SPIE <b>4663</b> , 63 (2001) Full Text: [ PDF (898 kB) ] (9 pages)
81%	8. 🗀	MC-CDMA with frequency domain diversity reception for sectored indoor wireless cellular networks Andrew Sibanda and Mqhele E. Dlodlo Proc. SPIE 4531, 131 (2001) Full Text: [ PDF (214 kB) ] (12 pages)
79%	9. ୮	Mask manufacturing rule check: how to save money in your mask shop Martin C. Keck, Wolfram Ziegler, Roman Liebe, Torsten Franke, Gerd Ballhorn, Matthias Koefferlein, and Joerg Thiele Proc. SPIE 4186, 114 (2001) Full Text: [ PDF (123 kB) ] (5 pages)
79%	10. 🗔	Bias-free procedure for the measurement of the minimum resolvable temperature difference and minimum resolvable contrast Piet Bijl and J. Mathieu Valeton Opt. Eng. 38, 1735 (1999) Full Text: [ PDF (137 kB) ] (8 pages)
79%	11. 🗔	Triangle orientation discrimination: the alternative to minimum resolvable temperature difference and minimum resolvable contrast Piet Bijl and J. Mathieu Valeton Opt. Eng. <b>37</b> , 1976 (1998) Full Text: [ PDF (322 kB) ] (8 pages)
79%	12. 🗆	Single-longitudinal-mode fiber laser using passive multiple-ring-cavity technique Chien-Chung Lee, Yung Kung Chen, Shien-Kuei Liaw, Frank Tsai, Ching Sheu Wang, and Y. K. Tu Proc. SPIE <b>3420</b> , 253 (1998) Full Text: [ PDF (334 kB) ] (5 pages)
79%	13. Г	Implementation of in-situ particle monitor to improve process condition prediction Prashant A. Aji, Gerard Petit, Stephanie Tua, and Jacques Lavastre Proc. SPIE <b>3213</b> , 18 (1997) Full Text: [ PDF (277 kB) ] (11 pages)
79%	14. 🗔	A bridge between modulation transfer function and minimum resolvable contrast Michael J. Jenquin Proc. SPIE <b>2470</b> , 380 (1995) Full Text: [ PDF (318 kB) ] (6 pages)
77%	15. 🗔	Expression of GFP in tumor cells and fluorescent examination by confocal microscope Ying Jin, Da Xing, and Chaoyang Xu Proc. SPIE 4536, 214 (2002) Full Text: [ PDF (227 kB) ] (5 pages)

<b>77%</b> .	16. 「	Capturing the sampling effects: a TOD sensor performance model Maarten A. Hogervorst, Piet Bijl, and J. M. Valeton Proc. SPIE <b>4372</b> , 62 (2001) Full Text: [ PDF (269 kB) ] (12 pages)
77%	17. 「	TOD test method for characterizing electro-optical system performance Stephen W. McHugh, Alan Irwin, J. M. Valeton, and Piet Bijl Proc. SPIE 4372, 39 (2001) Full Text: [ PDF (64 kB) ·] (7 pages)
77%	18.	Nonuniformity correction of cryogenic 512 <sup>2</sup> emitter arrays: the five-minute 5% NUC using FIESTA  Matthew C. Thomas, Donald D. Newman, Mark Frolli, Donald G. Pritchett, and Curt Peterson  Proc. SPIE 4366, 465 (2001) Full Text: [ PDF (1480 kB) ] (10 pages)
77%	19. 🗆	Does digital deconvolution improve two-photon microscopy in deep tissue imaging? Colten R. Noakes, Toshiyasu Goto, Raymond Keller, and Ammasi Periasamy Proc. SPIE <b>4262</b> , 389 (2001) Full Text: [ PDF (153 kB) ] (7 pages)
77%	20. 🗔	Factory acceptance test results for the DIRSP projection optics Matthew C. Thomas and Craig S. Ward Proc. SPIE 4027, 262 (2000) Full Text: [ PDF (3776 kB) ] (9 pages)
77%	21. 「	Breadboard model of a coherent optical BPSK homodyne system with virtual pilot tone (ViP)-based receiver and MRC auxiliary channel Florian David and Christoph Rapp Proc. SPIE 3932, 35 (2000) Full Text: [ PDF (1722 kB) ] (10 pages)
77%	22. 「	Flexible network document imaging architecture William J. Rucklidge and Daniel P. Huttenlocher Proc. SPIE 3964, 110 (1999) Full Text: [ PDF (1010 kB) ] (11 pages)
77%	23. 🗆	Multiband infrared plume simulator for HWIL testing of the tactical FLIR pod modification Matthew C. Thomas, Donald G. Pritchett, and Thomas A. Ellis Proc. SPIE 3368, 216 (1998) Full Text: [ PDF (2470 kB) ] (8 pages)
77%	24.	Plasma filled gyrotron Moe J. Arman Proc. SPIE <b>3158</b> , 40 (1997) Full Text: [ PDF (227 kB) ] (7 pages)
77%	25. [	Multiple charging of recombination centers as one of the causes of semiconductor scintillators inertiality V. D. Ryzhikov, V. N. Suprunenko, and Olegh V. Vakulenko Proc. SPIE <b>2113</b> , 169 (1994) Full Text: [ PDF (248 kB) ] (4 pages)

[ 1 | 2 | Next 25 ]



home | proceedings | journals

Terms of Use | Privacy Policy | Contact

© 1994 – 2006 The International Society for Optical Engineering